



Dew point and temperature probe DMP6

For dew point measurement in very high temperatures up to 350 °C

		Probe head and cable	Probe cable	Sensor type	Filter type	Operating pressure	Baud rate	Parity, data bit, stop bit	Probe Modbus address	Reserved	Probe mounting accessory	Connection cable
		DMPX	6	C	1	C	0			0		
1	Probe head and cable DMP6 for very high temperatures	6										
2	Probe cable Probe 6, 2m		C									
3	Sensor type DrycapS			1								
4	Filter type Grid filter for DMP6				C							
5	Operating pressure Setting for ppm and other calculated variables 1 bar (absolute)					0						
6	Baud rate 1) 19200 9600						A B					
7	Parity, data bit, stop bit 1) 8,N,2 8,E,1 8,O,1							0 2 4				
8	Probe Modbus address 1) 240 110 120 130 140								A B C D E			
9	Reserved None									0		
10	Probe mounting accessory None (installation in an existing cooling set) <i>Cooling set for DMP6, required for new installations</i>										0 B	
11	Connection cable None <i>1,5m, open ends</i> <i>10m, open ends</i>											0 1 2

1) Factory pre-set, can be changed in the field with a service cable (P/N 242659)

Probe can be connected to INDIGO series of transmitters regardless of the output configuration.

**Selections in bold are included in the prices of the basic versions.**

*Selections in italic are available at an extra price.*

Example of order code with typical settings:

<b>For use with INDIGO transmitters</b>	<b>DMPX</b>	<b>6</b>	<b>C</b>	<b>1</b>	<b>C</b>	<b>0</b>	<b>A</b>	<b>0</b>	<b>A</b>	<b>0</b>	<b>B</b>	<b>0</b>
<b>For use with Modbus RTU</b>	<b>DMPX</b>	<b>6</b>	<b>C</b>	<b>1</b>	<b>C</b>	<b>0</b>	<b>A</b>	<b>0</b>	<b>A</b>	<b>0</b>	<b>B</b>	<b>2</b>

Valid from: December 2019