



Order form
Purchaser _____

Order no. _____

GMW90 CO2 and Temperature Transmitter - BACnet/Modbus

Vaisala Carbocap [®] CO2, Humidity and Temperature Transmitter		GMW90											Price			
		5	0	0	0											
5 Display and colour	Standard White (RAL9003, solid cover)															
	Standard White (RAL9003, display cover)															
	<i>Black (RAL9005, solid cover)</i>															
	<i>Black (RAL9005, display cover)</i>															
	<i>Grey (RAL7035, solid cover)</i>															
	<i>Grey (RAL7035, display cover)</i>															
	<i>Light Ivory (RAL1015, solid cover)</i>															
	<i>Light Ivory (RAL1015, display cover)</i>															
	No logo, standard White (RAL9003, solid cover)															
	No logo, standard White (RAL9003, display cover)															
	<i>Indicator cover (RAL9003, display and CO2 indicators)</i>															
6 Units	Metric													A		
	Non metric													B		
7 Display configuration	Default (T, CO2)													A		
	CO2													C		
8 Elevation setting	Standard (sea level)														0	
	Custom													X		
9 CO2 indicator levels	None														0	
	Standard														1	
	Custom														X	
11 Quick reference guide	No manual														0	
	Multilingual for digital devices														2	

Accessories:

- TM10SP Temperature measurement module
- GM10SP CO2 measurement module
- 219980 Connection cable for HM70 hand-held meter
- 219690 USB cable for PC connection

Selections in bold are included in the prices of the basic versions

Selections in italic are available at an extra cost

GMW90|5|0|0|0|1|A|A|0|0|A|2



Order form
Purchaser

Order no.

GMW90 CO2 and Temperature Transmitter - Current output

Vaisala Carbocap [®] CO2, Humidity and Temperature Transmitter			GMW90	4											A	Price
2	Output signal	4...20mA 0...20mA	3-wire 3-wire	4 5												
3	Output parameter for CH1	CO2 CO2 CO2, free scale T, free scale	0...2000 ppm 0...5000 ppm Define Low High ppm Define Low High °C (F)		L M N T											
4	Output parameter for CH2	T T CO2, free scale T, free scale	-5...+55 °C (+23...+131 F) 0...+60 °C (+32...+140 F) Define Low High ppm Define Low High °C (F)		E F N T											
5	Display and colour	Standard White (RAL9003, solid cover) <i>Standard White (RAL9003, display cover)</i> <i>Black (RAL9005, solid cover)</i> <i>Black (RAL9005, display cover)</i> <i>Grey (RAL7035, solid cover)</i> <i>Grey (RAL7035, display cover)</i> <i>Light Ivory (RAL1015, solid cover)</i> <i>Light Ivory (RAL1015, display cover)</i> No logo, standard White (RAL9003, solid cover) <i>No logo, standard White (RAL9003, display cover)</i> <i>Indicator cover (RAL9003, display and CO2 indicators)</i>														
6	Units	Metric Non metric								A B						
7	Display configuration	Default (T, CO2) CO2	CO2							A C						
8	Elevation setting	Standard (sea level) Custom	Define m (ft)													
9	CO2 indicator levels	None Standard Custom	(800,1200 ppm) Define Yellow Red ppm													
11	Quick reference guide	No manual Multilingual for analog devices Multilingual for digital devices														

Accessories:
 TM10SP Temperature measurement module
 GM10SP CO2 measurement module
 219980 Connection cable for HM70 hand-held meter
 219690 USB cable for PC connection

Selections in bold are included in the prices of the basic versions
Selections in italic are available at an extra cost

GMW90|4|4|L|E|1|A|A|0|0|A|1

GMW90 CO2 and Temperature Transmitter - Voltage output

Vaisala Carbocap [®] CO2, Humidity and Temperature Transmitter			GMW90	3														A	Price
2	Output signal	0...10 V 0...5 V	3-wire 3-wire	2 3															
3	Output parameter for CH1	CO2 CO2 CO2, free scale T, free scale	0...2000 ppm 0...5000 ppm Define <u>Low</u> <u>High</u> ppm Define <u>Low</u> <u>High</u> °C (F)		L M N T														
4	Output parameter for CH2	T T CO2, free scale T, free scale	-5...+55 °C (+23...+131 F) 0...+60 °C (+32...+140 F) Define <u>Low</u> <u>High</u> ppm Define <u>Low</u> <u>High</u> °C (F)		E F N T														
5	Display and colour	Standard White (RAL9003, solid cover) Standard White (RAL9003, display cover) <i>Black (RAL9005, solid cover)</i> <i>Black (RAL9005, display cover)</i> <i>Grey (RAL7035, solid cover)</i> <i>Grey (RAL7035, display cover)</i> <i>Light Ivory (RAL1015, solid cover)</i> <i>Light Ivory (RAL1015, display cover)</i> No logo, standard White (RAL9003, solid cover) No logo, standard White (RAL9003, display cover) <i>Indicator cover (RAL9003, display and CO2 indicators)</i>			0 1 2 3 4 5 6 7 8 9 A														
6	Units	Metric Non metric				A B													
7	Display configuration	Default (T, CO2) CO2	CO2			A C													
8	Elevation setting	Standard (sea level) Custom	Define _____ m (ft)																
9	CO2 indicator levels	None Standard Custom	(800,1200 ppm) Define <u>Yellow</u> _____ <u>Red</u> _____ ppm																
11	Quick reference guide	No manual Multilingual for analog devices																	

Accessories:

- TM10SP Temperature measurement module
- GM10SP CO2 measurement module
- 219980 Connection cable for HM70 hand-held meter
- 219690 USB cable for PC connection

Selections in bold are included in the prices of the basic versions

Selections in *italic* are available at an extra cost

GMW90|3|2|L|E|1|A|A|0|0|A|1